WELCOME TO:

Building Nutrition Literacy




Confronting the Problems,

Creating the Solutions


TEAM Nutrition

Setting the Scene A Crisis in Progress: Kids, **Nutrition** and Fitness

- What are kids eating?
- How active are they?








Almost NO (about 2%) **American** children meet the guidelines of the FGP.

What Americans Actually Eat (U.S. Total)







Nearly 40% of kids' calories come from added fat and sugar.




Milk intake has dropped markedly while soft drink intake as increased dramatically.





Beverages in the U.S. Food Supply (Gallons/Person/Year)




Source: U.S. Dept. of Agriculture, Economic Research Service Statistical Bulletin No. 939, 1997

Teen boys tripled their soft drink intake between 1971 and 1994.



On Average, Adolescents Aged 12-17 Get from Soft Drinks*:




*Soft drinks = carbonated beverages, fruit-flavored and part juice drinks, and sports drinks Source: USDA, Continuing Survey of Food Intake by Individuals, 1994-96






80% of girls and 60% of boys fall short on calcium.




Only 1 in 5 **Americans eat** five servings of fruits and vegetables a day.



Potato chips, French fries, ketchup and pizza sauce are the most commonly consumed vegetables.

Physical Activity







The News is NOT Good We are a nation of couch potatoes

and tater tots.



Sedentary Death Syndrome

- 60% of all Americans are currently at risk
- Obesity has doubled
- Type 2 Diabetes has increased nine-fold
- Heart disease remains the number one cause of death for Americans
- SeDS is expected to add as much as 3 trillion to health care costs over the next 10 years




The News is NOT Good "Small Fries"

- Obesity in American Children has increased 100%
- 900 hrs per year in school—1023 hrs per year watching TV



Obesity Concerns





Supersize Your Meal?



1977

10 oz cola 120 cal 46-60 oz cola 580 cal

3-4 oz burger 330 cal 6-8 oz burger 650 cal

30 French fries 475 cal 50 French fries 790 cal

Total 925 Cal Total 2020 Cal


Daily Calorie Needs 2200 a day

Supersize Your Waist!



1999 CDC DATA

Figure 1. Prevalence of overweight among children and adolescents ages 6-19 years



NOTES: Excludes pregnant women starting with 1971-74. Pregnancy status not available for 1963-65 and 1966-70. Data for 1963-65 are for children 6-11 years of age; data for 1966-70 are for adolescents 12-17 years of age, not 12-19 years. SOURCE: CDC/NCHS, NHES and NHANES.



Experts estimate that one in five **American kids** is overweight or obese.




American adults are heavier than ever before. Based on NIH criteria, 55+ % of Americans (100+ million adults) are overweight or obese.



Obesity Trends* Among U.S. Adults BRFSS, 1991, 1995 and 2000

(*BMI \geq 30, or \sim 30 lbs overweight for 5'4" woman)




Source: Mokdad A H, et al. *J Am Med Assoc* 1999;282:16,

2001;286:10.



The News is NOT Good Nearly 1/2 of all




young people do not get any vigorous activity on daily basis.

High school students in daily PE classes have dropped from 42% in 1991 to 25% in 1995.





Eating Disorder Concerns






Eating disorders are epidemic - 7-11 million Americans, 10% of high school girls.







Clean Plate Club
All-You-Can-Eat
Super-Size Portions
TV Remote & Mouse
Car Culture
Unsafe Neighborhoods



Be the change you want to see in the world.

Mahatma Gandhi